

# A L I E N



## Pack 11

### BUILD INSTRUCTIONS

**STAGE 77: THE ABDOMEN (III)**

**STAGE 78: THE ABDOMEN AND THE TAIL (I)**

**STAGE 79: THE ABDOMEN AND THE TAIL (II)**

**STAGE 80: THE ABDOMEN AND THE TAIL (III)**

**STAGE 81: THE ABDOMEN, THE TAIL AND THE  
DORSAL GROWTHS**

**STAGE 82: THE TAIL AND THE DORSAL  
GROWTHS (I)**

**STAGE 83: THE TAIL AND THE DORSAL  
GROWTHS (II)**

**STAGE 84: THE TAIL AND THE DORSAL  
GROWTHS (III)**



## Before you start...

To help you get the best out of building the Xenomorph, we've prepared a modellers checklist with hints, tips and advice from our expert. The information below is aimed at making your build as enjoyable and professional as possible right from the start.

Make sure you have good ventilation when using adhesives and to replace caps firmly.

Always use the correct adhesives and always follow manufacturers guidance.

Apply glue sparingly and use a cocktail stick to apply so that you don't use too much nor apply the glue too heavily.

Work in a well lit area. Use an anglepoise lamp or similar on your work bench to ensure you have good light whenever you're at work.

Organise storage – stackable, labeled containers like old clean takeaway or ice-cream plastic tubs with lids are perfect. Small parts which may not be needed until a later stage should be kept in clear plastic and labeled bags.

Use masking tape to hold parts temporarily in place.

Only use the correct size screwdriver that fits the screw head firmly.

Cut parts from a sprue (framework) with side cutters or a craft knife. Side cutters tend to be easiest.

Use a magnet to help find screws that have fallen on the floor.

Leave parts in the paper bags supplied until they are needed. You can write a note of the stage and part on the paper bag too.

If a screw is tight, try turning a half turn forwards followed by a quarter turn backwards. Also, it can sometimes help to temporarily fit a screw into its hole before assembling the parts.

But most of all, enjoy your build!



**WARNING:** Some parts are assembled using magnets. These magnets can cause serious injury if they are swallowed. Keep away from children. If you suspect a magnet has been swallowed, seek medical help straight away.

All parts belong to a kit. Collectors item for adults.

Not suitable for children under 14.

Some parts may have sharp edges, please handle them with care.

The installation of electronic parts must always be carried out by an adult. When replacing batteries, use the same type of batteries.

Please ensure that the battery compartment is securely fastened before you use the model.


Used batteries should be recycled.

Please make sure to check with your local authority how batteries should be disposed of in your area.

Batteries can present a choking danger to small children and may cause serious harm if ingested. Do not leave them lying around and keep any spare batteries locked away at all times.

# STAGE 77: THE ABDOMEN (III)


In this stage you will continue to work on parts of the Xenomorph's abdomen.




## PARTS SUPPLIED

Ref	Name	Qty	Ref	Name	Qty
77-1	Abdomen 2	1	77-5	Abdomen Skin	1
77-2	Abdomen 3	1	77-6	Connector	4
77-3	Vertebrae 1	1	77-7	Magnets	11
77-4	Abdomen Skin	1	77-8	2.3x6mm screws (1 spare)	11

## STAGE 77: THE ABDOMEN (III)




Take the abdomen **76-6** from pack 10 - stage 76 and join it to Abdomen **77-1**. This is done by fitting the two connectors **76-7** over the raised screw sockets on Abdomen **77-1**, as shown. Secure each connector in place with a 2.3x6mm screw **77-8**.



Next take the Abdomen **77-2** and fit four Connectors **77-6** over the raised screw sockets as shown by the red lines in the diagram. Fix each Connector **77-6** in place with a 2.3x6mm screw **77-8**.

Take the assembly **76-6/77-1** from step 1 and join it to Abdomen **77-2** by fitting the four Connectors **77-6** over the raised screw sockets on the assembly **76-6/77-1**. Secure each Connector **77-6** in place with a 2.3x6mm screw **77-8**.



## STAGE 77: THE ABDOMEN (III)

**4**



**76-6**


**77-1**

**77-2**

**74-4**

In preparation for the next step where magnets are fitted, take the abdomen skin **74-4**, which was worked on in pack 10 - stage 74, and place the abdomen assembly **76-6/77-1/77-2** inside it.

**5**



Ensure that the circular recesses in the assembly **76-6/77-1/77-2** are directly above the magnets fitted to the abdomen skin **74-4**. Five Magnets **77-7** are now fitted into the circular recesses in the assembly, as shown. Before glueing in place check that they are attracted to the magnets directly below. Once certain of their correct orientation, glue firmly in place.

**77-7**

**77-7**

**77-1**


**77-2**

**76-6**

**74-4**




## STAGE 77: THE ABDOMEN (III)



Take the right flank skin **75-1** which was worked on in pack 10 - stage 75 and place the abdomen assembly **76-6/77-1/77-2** inside it. Make sure that the circular recesses in the abdomen assembly are directly above the magnets previously fitted to the skin.

6

Fit three Magnets **77-7** into the circular recesses in the abdomen assembly **76-6/77-1/77-2**. After checking that they are attracted to the magnets directly below, glue in place.






7

## STAGE 77: THE ABDOMEN (III)

Take the left flank skin **76-1** which was worked on in pack 10 - stage 76 and place the abdomen assembly **72-2/76-6/77-1** inside it so that the circular recesses in it align with the magnets below.


8



Three Magnets **77-7** are fitted into the circular recesses inside Abdomen **77-1**. Once certain that they are attracted to the magnets directly below, glue firmly in place.

9

## STAGE 77: THE ABDOMEN (III)



Remove the three skin assemblies **74-4**, **75-1** and **76-1** from the abdomen assembly **72-2/76-6/77-1** and keep them safely aside until they are needed again in a later stage.

10

### STAGE 77 IS COMPLETE



! Keep parts not fitted in this stage safely aside until they are needed in the next stage.



# STAGE 78: THE ABDOMEN AND THE TAIL (I)

In this stage you will continue to work on parts of the abdomen and begin assembly of the tail of the Xenomorph.




## PARTS SUPPLIED

Ref	Name	Qty
78-1	Tail 1	1
78-2	Tail 2	1
78-3	Abdomen 4	1

Ref	Name	Qty
78-4	Connector	2
78-5	Magnets	6
78-6	2.3x6mm screws (1 spare)	3

## STAGE 78: THE ABDOMEN AND THE TAIL (I)

**1**



77-5

77-4

Take the abdomen skin parts **77-4** and **77-5** from the previous stage. After test-fitting, glue the two sections together along the seam, as shown by the green lines.

**2**



77-3

77-5

77-4

The vertebrae **77-3**, also from the previous stage, is now test-fitted on the skin assembly **77-4/77-5**. When certain of a good fit, glue in place.

**3**



78-2

78-1

There are raised sockets on the Tail parts **78-1** and **78-2** which fit together, as shown. When happy with the fit, glue the two parts together.

## STAGE 78: THE ABDOMEN AND THE TAIL (I)


4




Take the Abdomen **78-3** and fit two Connectors **78-4** over the raised screw sockets, as shown. Secure in place with two 2.3x6mm screws **78-6**.

5

Take the skin assembly from step 2 and turn it over. Insert three Magnets **78-5** into the circular recesses inside skin **77-5** and glue in place. The orientation of these magnets doesn't matter.



## STAGE 78: THE ABDOMEN AND THE TAIL (I)



Repeat the previous step to fix three more Magnets **78-5** into the circular recesses inside skin **77-4**.

6

### STAGE 78 IS COMPLETE



*THE CONSTRUCTION OF THE ABDOMEN HAS CONTINUED AND WORK HAS BEGUN ON THE TAIL.*



# STAGE 79: THE ABDOMEN AND THE TAIL (II)

In this stage you will continue to work on parts of the Xenomorph's abdomen and tail.




## PARTS SUPPLIED


Ref	Name	Qty	Ref	Name	Qty
79-1	Tail 3	1	79-5	Connectors	4
79-2	Tail 4	1	79-6	Magnets	12
79-3	Abdomen 5	1	79-7	2.3x 6mm screws (1 spare)	11
79-4	Abdomen 6	1			



## STAGE 79: THE ABDOMEN AND THE TAIL (II)




The tail assembly, which was begun in the previous stage, is extended. There is a central peg (circled) at one end of Tail **79-1** which fits through a hole at the end of the tail assembly **78-1/78-2** from the previous stage. From the other side, test-fit Tail **79-2** in place. Once certain of a good fit, apply glue to the contact areas and secure together. Keep the tail assembly aside until it is needed in the next stage.



Join the Abdomen **78-3**, from the previous stage, to Abdomen **79-3** by fitting the connectors **78-4** over the raised screw sockets on Abdomen **79-3**. Secure in place with two 2.3x6mm screws **79-7**.


## STAGE 79: THE ABDOMEN AND THE TAIL (II)

Next, take the Abdomen **79-4** and fit four Connectors **79-5** onto the raised screw sockets, as shown. Secure each in place with a 2.3x6mm screw **79-7**.




The abdomen assembly **78-3/79-3** from step 2 is joined to the Abdomen **79-4**. Place the four connectors **79-5**, fitted in the previous step, over the raised screw sockets and secure in place with four 2.3x6mm screws **79-7**.

3




4



5


Take the skin assembly **77-3/77-4/77-5** from the previous stage and fit the abdomen assembly **78-3/79-3/79-4** into it. Make sure that the parts are positioned so that the circular recesses in the abdomen assembly align with the magnets in the skin below.

## STAGE 79: THE ABDOMEN AND THE TAIL (II)




Six Magnets **79-6** are fitted into the circular recesses in the abdomen assembly **78-3/79-3/79-4**. After checking that they are attracted to the magnets directly below, glue in place.

6



Take the Left Flank Skin **76-1** which was worked on in stage 76 and fit it around Abdomen **79-3**, as shown.

7




Fit three Magnets **79-6** into the circular recesses in Abdomen **79-3**. After checking that each magnet is attracted to the one directly below, glue in place.

8


## STAGE 79: THE ABDOMEN AND THE TAIL (II)

75-1



In a similar way, take the Right Flank Skin **75-1**, assembled in pack 10 - stage 75, and fit it around the Abdomen **78-3**.

78-3




9

Three Magnets **79-6** are fitted into the circular recesses in Abdomen **78-3**. After making sure that each magnet is attracted to the one directly below, glue in place.

79-6

75-1




78-3

10



## STAGE 79: THE ABDOMEN AND THE TAIL (II)

Remove the skin assemblies **75-1**, **76-1** and **77-3/77-4/77-5** and keep them safely aside until they are needed in a later stage.



11

### STAGE 79 IS COMPLETE




*THE TAIL HAS BEEN EXTENDED AND FURTHER WORK COMPLETED ON THE ABDOMEN.*



# STAGE 80: THE ABDOMEN AND THE TAIL (III)

In this stage you will continue to build the abdomen and tail of the Xenomorph.




## PARTS SUPPLIED

Ref	Name	Qty
80-1	Tail 5	1
80-2	Tail 6	1
80-3	Ball Joint Surround	1
80-4	Ball Joint Surround	1
80-5	Abdomen Ball Joint	1

Ref	Name	Qty
80-6	Socket Liner	2
80-7	3x22mm screw	3
80-8	Nuts	3
80-9	2.3x6mm screws (1 spare)	5


## STAGE 80: THE ABDOMEN AND THE TAIL (III)



1



The tail, which was worked on in the last stage, is extended further. Test-fit the central peg on Tail **80-1** (circled) through the hole at the end of the tail assembly **79-1/79-2**. From the other side, test-fit Tail **80-2**, as shown by the red lines. When certain of a good fit, secure together by applying glue to the contact areas and hold firmly in place until the glue has dried.

The Abdomen Ball Joint **80-5** is assembled as shown above. First fit the Socket Liners **80-6** into the Ball Joint Surrounds **80-3** and **80-4**. Then sandwich the Abdomen Ball Joint **80-5** between the Ball Joint Surrounds **80-3** and **80-4**.




2

## STAGE 80: THE ABDOMEN AND THE TAIL (III)



Keeping the assembly held together, insert three 3x22mm screws **80-7** as shown, and secure in place with three nuts **80-8** which fit into hexagonal recesses in part **80-4** (see inset). Take care not to over-tighten the joint as it is important that the joint is free to move slightly yet stiff enough to hold the body securely in place.


3



Take the abdomen assembly **78-3/79-3** from the last stage and fit the four remaining holes on Ball Joint Surround **80-4** onto the raised screw sockets on parts **78-3/79-3**. See also the next step.

4

## STAGE 80: THE ABDOMEN AND THE TAIL (III)



When certain the parts are correctly aligned, fix in place with four 2.3x6mm screws **80-9**.

5

### STAGE 80 IS COMPLETE



**THE ABDOMEN BALL JOINT HAS BEEN ASSEMBLED AND THE TAIL LENGTHENED.**



# STAGE 81: THE ABDOMEN, THE TAIL & THE DORSAL GROWTHS

In this stage you will complete the assembly of the abdomen, continue with building the tail and start to assemble the dorsal growths.




## PARTS SUPPLIED


Ref	Name	Qty	Ref	Name	Qty
81-1	Bracket	1	81-6	Connector	2
81-2	Tail 7	1	81-7	Washers	2
81-3	Tail 8	1	81-8	3x28mm screw	1
81-4	Back A1	1	81-9	Nut	1
81-5	Back A2	1	81-10	2.3x6mm screws (1 spare)	14



## STAGE 81: THE ABDOMEN, THE TAIL AND THE DORSAL GROWTHS




Take the tail assembly which was worked on in the previous stage and test-fit the central peg on Tail 8 **81-3** (circled) through the hole at the end of the tail assembly **80-1/80-2**. From the other side, test-fit Tail 7 **81-2**, as shown by the red lines. When certain of a good fit, secure together by applying glue to the contact areas and hold firmly in place until the glue has dried.




After studying the diagrams (left), take the right leg assembly (pack 6 - stage 43) and the left leg assembly (pack 10 - stage 74). Fit one of the Washers **81-7** on the right leg joint **40-4** and place the Bracket **81-1** on top, followed by the other Washer **81-7**. Next, take the left leg and insert the 3x28mm screw **81-8** through the hole in joint **70-3** and continue through the aligned joint, as shown. The screw is secured in place with a Nut **81-9** fitted in the back of joint **40-4**. Make sure the parts are properly secured together.

## STAGE 81: THE ABDOMEN, THE TAIL AND THE DORSAL GROWTHS




3

Take the abdomen assembly **79-4**, which was worked on in the previous stage, and study the diagram to see how this fits onto the leg assembly. See also the next step.



4


After test-fitting, secure the abdomen **79-4** in place using four 2.3x6mm screws **81-10**.



5


Take the abdomen assembly **76-6/77-1/77-2** from stage 77 and test-fit it onto the four raised sockets on assembly **78-3/79-3/79-4**.

## STAGE 81: THE ABDOMEN, THE TAIL AND THE DORSAL GROWTHS



Fix the two assemblies together using five 2.3x6mm screws **81-10**, as shown.

6



Next, join the abdomen skin assemblies **74-1**, **75-1** and **76-1** together. After test-fitting, glue the long edge of skin **76-1** to the left side of skin **74-4** and hold in place until firmly attached. Then, in a similar way, glue the skin **75-1** to the right hand side of skin **74-4**. Again, hold firmly in place until the glue has dried.


7



## STAGE 81: THE ABDOMEN, THE TAIL AND THE DORSAL GROWTHS

Turn the assembly **74-4/75-1/76-1** over and test-fit the skin assembly **77-3/77-4/77-5** in place, as shown. When certain of a good fit, apply glue to the contact areas along just one of the edges and hold firmly in place until the glue has dried. Do not fix the other edges together just yet, as the skin assembly needs to be fitted around the abdomen.

8




Test-fit the skin assembly from the previous step around the abdomen assembly, as shown left and in the inset. When certain that it is positioned correctly, glue the remaining two edges together and hold firmly in place until the glue has set.

9



## STAGE 81: THE ABDOMEN, THE TAIL AND THE DORSAL GROWTHS

10



Take the Back parts **81-4** and **81-5** and join them together by fitting two Connectors **81-6** over the raised screw sockets and securing in place with four 2.3x6mm screws **81-10**.

### STAGE 81 IS NOW COMPLETE



*THE LEGS AND ABDOMEN HAVE BEEN JOINED, WORK HAS BEGUN ON THE BACK AND FURTHER WORK HAS BEEN DONE ON THE TAIL.*

# STAGE 82: THE TAIL AND THE DORSAL GROWTHS (I)

In this stage you will continue to work on the tail and dorsal appendages.





## PARTS SUPPLIED

Ref	Name	Qty	Ref	Name	Qty
82-1	Back Protector A3	1	82-5	Back A5	1
82-2	Tail 9	1	82-6	Connector	2
82-3	Tail 10	1	82-7	2.3x6mm screws (1 spare)	7
82-4	Back A4	1			


## STAGE 82: THE TAIL AND THE DORSAL GROWTHS (I)

Take the tail assembly which was worked on in the previous stage and test-fit the central peg on Tail 9 **82-2** (circled) through the hole at the end of the tail assembly **81-2/81-3**. From the other side, test-fit Tail 10 **82-3**, as shown by the red lines. When certain of a good fit, secure together by applying glue to the contact areas and hold firmly in place until the glue has dried.




Join the Back A4 **82-4** and Back A5 **82-5** together by fitting two Connectors **82-6** over the raised screw sockets inside the oval recesses.

## STAGE 82: THE TAIL AND THE DORSAL GROWTHS (I)





## STAGE 82: THE TAIL AND THE DORSAL GROWTHS (I)



The assembly is turned over again so that the Back Protector A3 **82-1** can be fitted into the back assembly, as shown. Once certain of a good fit, glue in place.

6

### STAGE 82 IS COMPLETE

*THE TAIL HAS BEEN LENGTHENED AND WORK HAS CONTINUED ON THE BACK.*



# STAGE 83: THE TAIL AND THE DORSAL GROWTHS (II)

In this stage you will continue to work on the tail and dorsal appendages.



## PARTS SUPPLIED


Ref	Name	Qty
83-1	Back Protector A6	1
83-2	Back Protector A7	1
83-3	Tail 11	1
83-4	Tail 12	1

Ref	Name	Qty
83-5	Back B1	1
83-6	Back B2	1
83-7	Connector	2
83-8	2.3x6mm screws (1 spare)	5


## STAGE 83: THE TAIL AND THE DORSAL GROWTHS (II)

Take the tail assembly worked on in the previous stage and test-fit the central peg on Tail 11 **83-3** through the hole at the end of the tail assembly **82-2/82-3**. From the other side, test-fit Tail 12 **83-4**, as shown by the red lines. When certain of a good fit, secure together by applying glue to the contact areas and hold firmly in place until the glue has dried.

1



**83-1 (A6)**




**82-4**

The Back Protector A6 **83-1** is fitted to the back assembly **82-4/82-5**, which was worked on in the previous stage. There are two pegs on Back Protector **83-1** which fit into corresponding holes in back **82-4**. After test-fitting, glue in place.


2

## STAGE 83: THE TAIL AND THE DORSAL GROWTHS (II)

In a similar way, test-fit the pegs on Back Protector A7 **83-2** into the corresponding holes in back **82-5**. Once certain of a good fit, glue in place.



3



Join the two Back parts B1 **83-5** and B2 **83-6** by fitting two Connectors **83-7** over the raised screw sockets, as shown.

4



## STAGE 83: THE TAIL AND THE DORSAL GROWTHS (II)



Secure the Connectors **83-7** in place using four 2.3x6mm screws **83-8**.

### STAGE 83 IS COMPLETE



*THE TAIL HAS BEEN EXTENDED AS WELL AS FURTHER WORK ON THE DORSAL GROWTHS.*

# STAGE 84: THE TAIL AND THE DORSAL GROWTHS (III)

In this stage you will continue to work on the tail and dorsal appendages.




## PARTS SUPPLIED

Ref	Name	Qty
84-1	Back Protector B3	1
84-2	Tail 13	1
84-3	Tail 14	1
84-4	Back B4	1


Ref	Name	Qty
84-5	Back B5	1
84-6	Connector	2
84-7	2.3x6mm screws (1 spare)	7

## STAGE 84: THE TAIL AND THE DORSAL GROWTHS (III)



Take the tail assembly which was worked on in the previous stage and test-fit the central peg on Tail 14 **84-3** through the hole at the end of the tail assembly **83-3/83-4**. From the other side, test-fit Tail 13 **84-2**, as shown by the red lines. When certain of a good fit, secure together by applying glue to the contact areas and hold firmly in place until the glue has dried.

1




Fit the Back Protector B3 **84-1** to the back assembly **83-5/83-6**, which was worked on in the previous stage. There are two pegs on Back Protector B3 **84-1** which fit into corresponding holes in Back **83-5**. After test-fitting, glue in place.

2


## STAGE 84: THE TAIL AND THE DORSAL GROWTHS (III)

3



Take Back B4 **84-4** and Back B5 **84-5** and join them together by fitting two Connectors **84-6** over the raised screw sockets.

4



Secure the Connectors **84-6** in place with four **2.3x6mm** screws **84-7**.


5



The assembly **83-5/83-6**, from the previous stage, and the assembly **84-4/84-5** are joined together as shown. There are raised sockets, shown by the red lines, which fit together.



## STAGE 84: THE TAIL AND THE DORSAL GROWTHS (III)



6

**PACK 11 AND STAGE 84  
ARE NOW COMPLETE**

*THE TAIL HAS BEEN EXTENDED FURTHER AND WORK  
HAS CONTINUED ON THE DORSAL GROWTHS.*

